



# **Lucy Zodion –**

# Power distribution enclosures for every market

Lucy Zodion is the UK's leading provider of feeder pillars with a wide range of high quality products, in many sizes and materials. We hold a large UK-based stock enabling us to support your projects quickly and easily and our distributor network covers the whole of the UK, so wherever your project – you can count on us!

Manufactured to the highest standard, whether your enclosure is made from Cast Iron, Stainless Steel, Glass Resin Plastic (GRP) or Hot Dip Galvanised (HDG), Lucy Zodion can provide a robust and durable service, fast!

All our standard sized products are available in a number of materials and finishes, with optional extras that can help create a solution that better matches your requirements. As well as our standard range of stocked sizes we specialise in manufacturing bespoke solutions in all sizes. Our UK-based design and engineering team can help whatever your requirements, ranging from EV charging enclosures, to PADs approved GRP enclosures.

All of our enclosures are available painted, so whether it's a specialist finish such as G2A for highways, or a RAL colour to meet a design specification for an airport or urban scheme, our painted products offer a top quality finish and with a standard lead time of 2-3 weeks.

# Why choose Lucy Zodion?

Our market leading position is founded on high build quality and excellent availability. We have many years' experience in delivering a wide range of market leading products, across many sectors, including;

- Street Lighting
- EV Charging
- Rail
- Highways
- Airports
- Retail & Leisure
- Urban Regeneration
- Utilities

All of our products are manufactured in accordance with the relevant BS EN Standards.



## **Distributor Network**

Our enclosures are available from our wide reaching distributor network that will be able to service your needs across the whole of the UK. Our products are widely available through all of the following;

- Leading national electrical wholesalers
- Independent electrical buying groups
- Industry sector specialist distributors

For more information on our distributor network please contact our sales team on +44 (0)1422 317317 or email sales@lucyzodion.com

## **Attractive Lead Times**

- Standard pillars: Lead time 2 3 days (Overnight on request)
- Standard painted products: Lead time 2 3 weeks
- Bespoke items: Price and delivery on application
- Cast Iron: Lead time up to 8 weeks

All lead times are dependent on stock availability at time of order

## **Value Added Services**

In addition to standard enclosures Lucy Zodion provides a wide range of value added services:

- Pre-wiring and testing
- Design services
- Bespoke and specialist products
- Painted solutions
- Maintenance packages
- Special locks and heaters

For all pre-wiring and value added services please contact our specialist pre-wire team on +44 (0)1422 317335, or email pwpsales@lucyzodion.com



## **Pillar Shells**

Lucy Zodion's Fortress range of Hot Dip Galvanized (HDG) pillar shells are the UK's leading range of enclosures for external power distribution applications. Sold widely across the street lighting and highways sector, the Fortress pillar shell range provides high quality at an affordable price.

With a number of features, such as detachable roofs and roots, aiding various installation requirements, Lucy Zodion's range of "Lucy Pillar" shells doesn't stop at the standard Fortress range. Our dedicated Design Centre can also work with you should a bespoke requirement arise, whether it's a streamline solution to meet space restrictions or a large double door shell to host more complex electrical specifications, we can help.

#### **Standard Construction**

- 3mm or 5mm\* thick mild steel galvanised to BS EN ISO 1461
- Galvanised and painted variations available for extra durability
- Available with detachable roofs and root sections\*\*
- 18mm exterior grade plywood backboard
- Vandal resistant hinges flush to pillar and door.
- IP65 Door Seal rating (slimline, single and double door)
- · Fitted with locks as standard
  - Single Door Tri-head Lock
  - Double Door Wedge Lock

#### **Additional information**

- BS or RAL paint colours supplied as per customer specification
- G2A paint finishes available for highways applications
- Stainless steel construction available upon request (BSEN 10088-1)
- Pre-wired services available upon request (tested to BS 7671)
- External sockets can be fitted upon request
- Cat-flaps and cable management option available
- Wide selection of lock options available upon request



# **Product technical information**

## **Power Distribution Shells** | Fortress Pillar range

| Range<br>Type       | Size<br>code | Height<br>Above<br>Ground | Root<br>Section<br>(mm) | Width<br>(mm) | Depth<br>(mm) | Height<br>(mm) | Door<br>Height<br>(mm) | Working<br>Depth<br>(mm) | Shell<br>thickness<br>(mm) | Backboard<br>size (mm) | Weight<br>(kg) | Part no    |
|---------------------|--------------|---------------------------|-------------------------|---------------|---------------|----------------|------------------------|--------------------------|----------------------------|------------------------|----------------|------------|
| 10                  | 05           | 791                       | 350                     | 310           | 220           | 791            | 585                    | 170                      | 3                          | 300x650                | 36             | THM0024653 |
| Single Door Pillars | 06           | 636                       | 300                     | 400           | 180           | 636            | 410                    | 155                      | 3                          | 390x475                | 42.5           | THM0024656 |
| oor F               | 08           | 836                       | 300                     | 600           | 250           | 836            | 610                    | 225                      | 3                          | 590x675                | 71.5           | THM0024658 |
| e Do                | 09           | 1088                      | 350                     | 661           | 281           | 1088           | 860                    | 225                      | 3                          | 640x930                | 84             | THM0024664 |
| ingle               | 10           | 1194                      | 350                     | 800           | 350           | 1194           | 907                    | 325                      | 3                          | 790x975                | 108            | THM0024666 |
| S                   | 12           | 1294                      | 350                     | 1110          | 400           | 1294           | 1007                   | 375                      | 3                          | 1080x1075              | 142            | THM0024668 |
|                     |              |                           |                         |               |               |                |                        |                          | 3                          |                        | 176            | THM0024672 |
|                     | 14           | 1300                      | 380                     | 1250          | 450           | 1300           | 980                    | 375                      | 5                          | 1225x1085              | 300            | 2270030009 |
|                     |              |                           |                         |               |               |                |                        |                          | 3                          |                        | 202            | THM0024674 |
|                     | 15           | 1300                      | 380                     | 1500          | 450           | 1300           | 980                    | 375                      | 5                          | 1475x1085              | 350            | THM0013839 |
| S                   |              |                           |                         |               |               |                |                        |                          | 3                          |                        | 234            | THM0024676 |
| Double Door Pillars | 18           | 1300                      | 380                     | 1750          | 450           | 1300           | 980                    | 375                      | 5                          | 1925x1085              | 400            | 2800244009 |
| oor F               |              |                           |                         |               |               |                |                        |                          | 3                          | 1975x1085              | 266            | THM0024680 |
| e DC                | 20           | 1300                      | 380                     | 2000          | 450           | 1300           | 980                    | 375                      | 5                          |                        | 420            | 20-HDG-5   |
| Iqno                |              |                           |                         |               |               |                |                        | 375                      | 3                          | 1225x1385              | 201            | THM0024682 |
| Ğ                   | 22           | 1600                      | 380                     | 1250          | 450           | 1600           | 1280                   |                          | 5                          |                        | 350            | THM0016660 |
|                     | 24           | 1600                      | 380                     | 1500          | 450           | 1600           | 1280                   | 375                      | 3                          | 1475x1385              | 231            | THM0024685 |
|                     | 26           | 1600                      | 380                     | 1750          | 450           | 1600           | 1280                   | 375                      | 3                          | 1725x1385              | 269            | THM0024687 |
|                     | 28           | 1600                      | 380                     | 2000          | 450           | 1600           | 1280                   | 375                      | 3                          | 1975x1385              | 305            | THM0024689 |
|                     | 30           | 1600                      | 380                     | 2250          | 450           | 1600           | 1280                   | 375                      | 3                          | 225x1385               | 343            | THM0024691 |
|                     | 4810         | 785                       | 300                     | 113           | 120           | 785            | 510                    | 85                       | 3                          | 90 x 500               | 11             | THM0025272 |
|                     | 4811         | 785                       | 300                     | 163           | 120           | 785            | 510                    | 85                       | 3                          | 140x500                | 14             | THM0025273 |
| ars                 | 4812         | 785                       | 300                     | 163           | 170           | 785            | 510                    | 130                      | 3                          | 140x500                | 16             | THM0027610 |
| Mini Pillars        | 4813         | 785                       | 300                     | 213           | 170           | 785            | 510                    | 130                      | 3                          | 190x500                | 19             | THM0025275 |
| Σi                  | 4814         | 785                       | 300                     | 2650          | 170           | 785            | 510                    | 130                      | 3                          | 240x500                | 22             | THM0025276 |
|                     | 4815         | 985                       | 300                     | 365           | 170           | 985            | 710                    | 130                      | 3                          | 345x700                | 32             | THM0025277 |
|                     | 4816         | 1000                      | 300                     | 503           | 250           | 1000           | 800                    | 199                      | 3                          | 480x780                | 47             | THM0025279 |
|                     | SL01         | 800                       | 300                     | 250           | 160           | 800            | 590                    | 106                      | 3                          | 240x765                | 21             | THM0011393 |
| ars                 | SL02         | 950                       | 300                     | 350           | 235           | 950            | 740                    | 181                      | 3                          | 340x915                | 29             | THM0011394 |
| Slimline Pillars    | SL03         | 1093                      | 300                     | 450           | 260           | 1093           | 740                    | 206                      | 3                          | 440x915                | 39             | THM0011396 |
| Jline               | SL04         | 1100                      | 300                     | 550           | 275           | 1100           | 840                    | 221                      | 3                          | 540x1015               | 38             | THM0011398 |
| Slin                | SL05         | 1150                      | 300                     | 650           | 300           | 1150           | 940                    | 246                      | 3                          | 640x1115               | 77             | THM0011400 |
|                     | SL06         | 1150                      | 300                     | 800           | 325           | 1150           | 940                    | 271                      | 3                          | 790x1115               | 84             | THM0011402 |

Heritage power distribution enclosures

The "Lucy Pillar" is renowned for its robustness whilst being able to provide a heritage design style that is pleasing to the eye. Whether you are looking to maintain architectural style in-keeping with its environment or need a product that will offer incredibly long service life, the "Lucy Pillar" is the one for you.

The Heritage cast iron range is manufactured at Lucy Group's foundry in Oxfordshire, UK, and hand built by the Lucy Zodion team in Sowerby Bridge. Enclosures are built in accordance with BS1452, grade 180 (cap and sides) and are available in a range of sizes and colour options. Pre-wired service and build options are also available.



▲ Bedlam Furnaces, Telford

#### Construction

- Traditional design with cast iron pillar cap and sides manufactured to BS1452, grade 180
- Doors and back panels in 4mm chrome enriched steel
- All components receive zinc phosphate resin treatment, with a final coat of polyurethane paint
- Standard RAL colour (in either RAL 7012 or RAL 6028)
- 15mm marine ply backboard
- IP33 ingress rating
- Lifting lugs for transportation purposes
- Two wedge locks fitted as standard
- Anti-condensation vented cap

#### **Options**

- Available in various sizes (see table)
- Pre-wired options available
- Optional Yale lock or bar lock
- Customised paint finish (G2A, BS or RAL) upon request
- Interior light or heater with thermostat on request.
- Pre-equipped backboard according to customer specification
- Infill Panels available
- Lock options available upon request

#### **Heritage Power Distribution enclosures** | Heritage cast iron range

| Pillar size<br>code | Pillar<br>height<br>above<br>ground<br>(mm) | Pillar<br>Body<br>Width<br>(mm) | Width<br>of Pillar<br>Roof<br>(mm) | Ground<br>fixing ctrs<br>(bolt on<br>root only)<br>(mm) | Ground<br>fixing<br>ctrs (shell<br>only)<br>(mm) | Min. dist<br>to open<br>door<br>(mm) | Internal<br>width<br>(mm) | Back-<br>board<br>width<br>(mm) | Weight<br>(kg) | Part no |
|---------------------|---|---------------------------------|------------------------------------|---|--|--------------------------------------|---------------------------|---------------------------------|----------------|---------|
| 38                  | 1454  | 995                             | 1045                               | 686   | 934  | 452                                  | 972                       | 896                             | 315            | HL38    |
| 46                  | 1454  | 1198                            | 1248                               | 889   | 1137   | 554                                  | 1175                      | 1099                            | 360            | HL46    |
| 58                  | 1454  | 1503                            | 1553                               | 1194  | 1442   | 706                                  | 1480                      | 1404                            | 415            | HL58    |

# In-ground Power Distribution - Power from ground to socket in seconds

The Westminster range of In-ground power distribution units offer easily accessible power outlets without cluttering the street, making them ideal for markets, retail and event spaces.

Available in two frame sizes with 2 to 5 power outlet configurations the units rise into position in seconds providing safe and secure power. When not in use the unit retracts fully into the ground, out of sight.

A range of standard sized units are held in stock for fast despatch, whilst special designs such as integrated data, utilities and metering kits are available on request.





▲ Hampton, Peterborough

#### Construction

- 2 to 5 power outlets (Single Pole)
- Galvanised steel body (BSEN ISO 1461)
- Lift assist on lid and tower
- Long-life stainless steel wedge lock and hinges
- A hinged stainless steel lock cover
- IP67 electrical socket box (in accordance to IEC60529)
- Positive drainage spigots (100mm)
- Tower latching for safe operation
- 40mm lid recess for paviours

#### **Options**

- Available in a number of power and outlet configurations
- 16A, 32A and 63A RCBO protected outlets
- Single and three-phase options available
- Data, water and air options also available
- Metering kits
- Catflap option for managing trailing leads when in 'Down' position

### **In-Ground Power Distribution** | Westminster range

| Outlets | Configuration     | Length<br>(mm) | Width<br>(mm) | Tub<br>depth<br>(mm) | Raised<br>height<br>(mm) | Raised<br>width<br>(mm) | Max<br>Weight<br>(kg) | Standard<br>Part no | With<br>Catflap |
|---------|-------------------|----------------|---------------|----------------------|--------------------------|-------------------------|-----------------------|---------------------|-----------------|
|         | 2 x 16A           | 905            | 518           | 475                  | 590                      | 275                     | 150                   | F8000               | F8200           |
| 2x      | 2 x 32A           |                |               |                      |                          |                         |                       | F8001               | F8201           |
|         | 1 x 16A / 1 x 32A |                |               |                      |                          |                         |                       | F8002               | F8202           |
|         | 3 x 16A           | 905            | 518           | 475                  | 590                      | 275                     | 150                   | F8010               | F8210           |
| 2       | 2 x 16A / 1 x 32A |                |               |                      |                          |                         |                       | F8011               | F8211           |
| 3x      | 1 x 16A / 2 x 32A |                |               |                      |                          |                         |                       | F8012               | F8212           |
|         | 3 x 32A           |                |               |                      |                          |                         |                       | F8013               | F8213           |
|         | 4 x 16A           |                |               |                      |                          |                         |                       | F8020               | F8220           |
| Av      | 3 x 16A / 1 x 32A | 905            | 518           | 475                  | 590                      | 275                     | 150                   | F8021               | F8221           |
| 4x      | 2 x 16A / 2 x 32A |                |               |                      |                          |                         |                       | F8022               | F8222           |
|         | 1 x 16A / 3 x 32A |                |               |                      |                          |                         |                       | F8023               | F8223           |
| E.      | 4 x 16A / 1 x 32A | 4005           | 518           | 175                  | 720                      | 275                     | 180                   | F8030               | F8230           |
| 5x      | 5 x 16A           | 1035           |               |                      |                          |                         |                       | F8031               | F8231           |

## **Optional extras**

Our standard sized pillar shells are available in a number of materials and finishes, with optional extras that can help create a solution that better matches your requirements.

Please use reference codes below when placing your order:

| Code | Material Type   | Pillar                   |  |  |  |
|------|---|--------------------------|--|--|--|
| HDG  | Hot Dip Galvanised  | Fortress range           |  |  |  |
| HDP  | Hot Dip Galvanised & Painted<br>(grey as standard, other colours<br>available on request) | Fortress range           |  |  |  |
| 304  | 304 grade stainless steel   | Single, double, slimline |  |  |  |
| 30P  | 304 grade painted finish  | Single, double, slimline |  |  |  |
| 30L  | 304 grade grit finish   | Single, double, slimline |  |  |  |
| ЗСР  | 3CR12 painted finish  | Single, double, slimline |  |  |  |
| 316  | 316 grade stainless steel   | Single, double, slimline |  |  |  |
| 31P  | 316 grade painted finish  | Single, double, slimline |  |  |  |
| 315  | 316 grade polished finish   | Single, double, slimline |  |  |  |
| 31L  | 316 grade grit finish   | Single, double, slimline |  |  |  |

| Code | Options   | Pillar                             |  |  |  |  |
|------|---|------------------------------------|--|--|--|--|
| А    | Green colour  | Heritage only                      |  |  |  |  |
| В    | Infill panel for root section   | Heritage only                      |  |  |  |  |
| С    | Bar lock  | Heritage only                      |  |  |  |  |
| D    | Yale Lock   | Single, double, slimline, Heritage |  |  |  |  |
| Е    | Hasp and Staple   | Single, double, slimline           |  |  |  |  |
| F    | Alternative paint colour  | Heritage only                      |  |  |  |  |
| G    | Heater kit  | Single, double, slimline, Heritage |  |  |  |  |
| Н    | 13 Amp socket kit   | Single, double, slimline, Heritage |  |  |  |  |
| -1   | Lighting kit  | Single, double, slimline, Heritage |  |  |  |  |
| J    | Document pocket inside door   | Single, double, slimline           |  |  |  |  |
| SS   | Stainless Steel   | Fortress range                     |  |  |  |  |
| S    | If "S" Special requirement is selected,<br>a full description with diagrams and<br>specification must be provided | Single, double, slimline, Heritage |  |  |  |  |
| SL   | Special Locks – state lock type required  | Fortress and Heritage range        |  |  |  |  |

# Did you know we can power EV charge points, too?

As the demand for EV increases, there becomes a growing need for the implementation of accessible charge points, meaning a step-change in urban infrastructure is required, therefore the demand for power distribution solutions are on the up.



With this in mind, Lucy Zodion is able to meet a number of EV power distribution requirements to meet almost all specifications, configurations and styles. We have an in-house Design Centre dedicated to the design and manufacture of bespoke power distribution pillars and have extended our service to EV power distribution enclosures, developing solutions to meet growing demand.

The benefits of our service include:

- Case-for-case approach to EV power distribution projects to ensure we meet your specification objectives
- In-house Design Centre to ensure approved drawings are closely followed and tested once designed
- IET and BS industry standards followed to ensure product suitability and conformity at application

## Get a quote today!

For more information about the many power distribution products and services we can offer, or to get a quote for your next project, please get in touch with us: Lucy Zodion pillars are available from:



Lucy Zodion Ltd, Station Road, Sowerby Bridge, HX6 3AF, United Kingdom Tel +44 (0)1422 317317 Fax +44 (0)1422 836717 sales@lucyzodion.com www.lucyzodion.com